

5-6-76 - Talked to Mr. Buckner on telephone.  
Said he would be  
in a month or so. R.O. Youngwell

Entered in MID File .....  
 Location Map Pinned .....  
 Card Indexed .....

Checked by Chief .....  
 Approval Letter .....  
 Disapproval Letter .....

**COMPLETION DATA:**

Date Well Completed .....

Location Inspected ....

CW..... WW..... TA.....

Bond released

GW..... OS..... PA.....

State or Fee Land

**LOGS FILED**

Driller's Log.....

Electric Logs (No.) .....

E..... I..... Dual I Lat..... GR-N..... Micro.

BHC Sonic GR..... Lat..... MI-L..... Sonic.....

CCLog..... CCLog..... Others.....

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

## 1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

## b. TYPE OF WELL

OIL  
WELL ☒GAS  
WELL ☐

OTHER

SINGLE  
ZONE ☐MULTIPLE  
ZONE ☐

## 2. NAME OF OPERATOR

~~MEXICAN HAT OIL CO~~ + GERALD R. DICKINSON

## 3. ADDRESS OF OPERATOR

909 LIVESAY DRIVE CORTEZ COLORADO

## 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

At surface 655.94' F.E.L. + 925.76' F.S.L. OF  
At proposed prod. zone SEC 36, T41S, R18E, S2M  
SAME

## 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*

1.2 MILES NORTH OF MEX HAT, UTAH

## 15. DISTANCE FROM PROPOSED\*

LOCATION TO NEAREST  
PROPERTY OR LEASE LINE, FT.  
(Also to nearest drlg. unit line, if any)

655.94

18. DISTANCE FROM PROPOSED LOCATION\*  
TO NEAREST WELL, DRILLING, COMPLETED,  
OR APPLIED FOR, ON THIS LEASE, FT.

NONE

## 16. NO. OF ACRES IN LEASE

320

## 19. PROPOSED DEPTH

1200

17. NO. OF ACRES ASSIGNED  
TO THIS WELL

20

## 20. ROTARY OR CABLE TOOLS

ROTARY

## 21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4203 GR

## 23.

## PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
10"	8"		40'	10 BAGS
6 3/4"	4 1/2"		70'	100 BAGS

WE WILL DRILL TO ABOUT 400' IF WE HAVE  
PRODUCTION WE WILL COMPLETE IT THERE IF  
NOT WE MAY GO ON TO 1200' DRILLER IS  
FURNISHING BLOW OUT PREVENTER.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

## 24.

SIGNED

Gerald R. Dickinson

TITLE

President

(This space for Federal or State office use)

PERMIT NO.


43-037-30265

APPROVAL DATE



APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE



\*See Instructions On Reverse Side



ENGINEER'S CERTIFICATE: I, G.S. Perce, New Mexico Registered P.E. and L.S. No. 4962 hereby certify that the above plat was compiled from survey notes taken in the field under my direction, and that all data shown thereon is true and correct to the best of my knowledge and belief.

G.S. Perce, P.E., L.S.

GERALD R. DICKINSON DBA  
MEXICAN NAT OIL COMPANY

LOCATION OF WELL NO. 1

SE 1/4 of SE 1/4, Sec. 36, T. 41 S., R. 18 E., S.L.M.  
SAN JUAN COUNTY, UTAH

PERCE-RALBY ENGINEERS  
MILBURN ROAD, ALBUQUERQUE, NEW MEXICO

Jan. 30, 1976

State of Utah  
Dept. of Natural Resources  
Salt Lake City, Utah

Gentlemen;

This pertains to the Application for permit to drill  
Mexican Hat Oil Co. #1 dated January 27, 1976.

Due to the very rough terrain this is as close to the  
center of the 40 acres as we can get. It would cost a  
small fortune to build a road into the exact center of  
the 40.

I have the East  $\frac{1}{2}$  of Section 36, 41 South, Range 18 East  
leased from the State, so we are in compliance on the  
South-West- and North, on the East 655.94 from our well  
location we have lots 1 and 2 of Section 31 which I have  
leased from the B.L.M. so I believe we are in accordance  
with the rules in all respects..


Hoping you will approve our location to drill.

Thank You,

Sincerely Yours,



G. R. Dickinson  
Pres.  
Mexican Hat Oil Co.



DIVISION OF OIL, GAS, AND MINING

\*FILE NOTATIONS\*

Date:

Operator:

Well No:

Location:

Sec. 36

T. 41S

R. 18E

County:

File Prepared

☒

Entered on N.I.D.

☒

Card Indexed

☒

Completion Sheet

☒

Checked By:

Administrative Assistant:

Remarks:

Petroleum Engineer/Mined Land Coordinator:

Remarks:

Director:

Remarks:

Include Within Approval Letter:

Bond Required

☒

State Lands

Survey Plat Required

☐

Order No.

☐

Blowout Prevention Equipment

☐

Rule C-3(c) Topographical exception/company owns or controls acreage within a 660' radius of proposed site

☒

O.K. Rule C-3

☐

O.K. In \_\_\_\_\_ Unit

☐

Other:

☐☒

Letter Written

February 4, 1976

Gerald R. Dickinson  
909 Livesay Drive  
Cortez, Colorado

Re: Well No. Mexican Hat Oil #1  
Sec. 36, T. 41 S, R. 18 E,  
San Juan County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with Rule C-3, General Rules and Regulations and Rules of Practice and Procedure. Said approval is, however, conditional upon filing an oil and gas drilling and plugging bond with the Utah State Division of State Lands, 105 Capitol Building, Salt Lake City, Utah 84114.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PATRICK L. DRISCOLL - Chief Petroleum Engineer  
HOME: 582-7247  
OFFICE: 533-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling.

The API number assigned to this well is 43-037-30265.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT  
DIRECTOR

CBF:sw  
cc: Division of State Lands



CALVIN L. RAMPTON  
Governor

OIL, GAS, AND MINING BOARD

GORDON E. HARMSTON  
Executive Director,  
NATURAL RESOURCES

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES

GUY N. CARDON  
Chairman

CLEON B. FEIGHT  
Director

DIVISION OF OIL, GAS, AND MINING

1588 West North Temple  
Salt Lake City, Utah 84116  
(801) 533-5771

CHARLES R. HENDERSON  
ROBERT R. NORMAN  
JAMES P. COWLEY  
HYRUM L. LEE

September 22, 1976

Gerald R. Dickenson  
909 Liveday Drive  
Cortez, Colorado 81321

Re: Well No. Mexican Hat Oil Co. #1  
Sec. 36, T. 41S, R. 18E  
San Juan County, Utah

Gentlemen:

In reference to above <sup>mentioned</sup> ~~referred to~~ well, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill this well, please notify this Division. If spudding or any other activity has taken place, please send necessary report forms.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

KATHY OSTLER  
RECORDS CLERK



STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR Gerald R. Dickenson

3. ADDRESS OF OPERATOR 909 NIVESA DRIVE COLORED COLO

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)  
At surface 155' FEL 925.76 FSL OF  
SEC 36 T41S R18E 54M

14. PERMIT NO. 43-037-30265

15. ELEVATIONS (Show whether DF, RT, OR, etc.) 420.3 GR

5. LEASE DESIGNATION AND SERIAL NO. 32393

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME EX-1536 T41S R18E

8. FARM OR LEASE NAME UTAH STATE

9. WELL NO. MEX HAT OIL #1

10. FIELD AND POOL, OR WILDCAT MEX HAT Field

11. SEC., T., R., M., OR BLM. AND SURVEY OR AREA SEC 36 T41S R18E 54M

12. COUNTY OR PARISH SAN JUAN

13. STATE UTAH

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐

(Other)

PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON\* ☒CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐

(Other)

REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

THE WELL WAS DRY TO 400' OUR TOTAL DEPTH. WE WILL PLUG IT IN ABOUT A MONTH. OR WE MAY DECIDE TO DEEPEN IT TO 1200'. WE WILL FILE OTHER FORMS AS SOON AS WE COMPLETE IT.

APPROVED BY THE DIVISION OF  
OIL, GAS, AND MININGDATE: Oct. 12, 1976BY: P. L. Ince

18. I hereby certify that the foregoing is true and correct

SIGNED G. R. DickensonTITLE PresidentDATE 10-4-76

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

TITLE \_\_\_\_\_

DATE \_\_\_\_\_



SCOTT M. MATHESON  
Governor

GORDON E. HARMSTON  
*Executive Director,*  
NATURAL RESOURCES

CLEON B. FEIGHT  
*Director*

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING  
1588 West North Temple  
Salt Lake City, Utah 84116  
(801) 533-5771

OIL, GAS, AND MINING BOARD

I. DANIEL STEWART  
*Chairman*

CHARLES R. HENDERSON  
JOHN L. BELL  
THADIS W. BOX  
C. RAY JUVELIN

August 10, 1978

Gerald R. Dickinson  
909 Livesay Drive  
Cortez, Colorado 81321

Re: Well No. Mexican Hat Oil #1  
Sec. 36, T. 41S, R. 18E  
San Juan County, Utah  
November 1976-June 1978

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the months indicated above on the subject well.

Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGC-1b, (U.S. Geological Survey Form 9-331) "Sundry Notices and Reports on Wells", or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS, & MINING

Tammy Edge  
Typist

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. <b>32393</b>
2. NAME OF OPERATOR <b>GERALD R. DICKINSON</b>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME <b>P</b>
3. ADDRESS OF OPERATOR <b>909 LIVESAY DRIVE CORTEZ, COLO</b>		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface <b>655' F.E.L 925.76 FSL OF SEC 36 T415 R18 E SLM</b>		8. FARM OR LEASE NAME <b>UTAH STATE</b>
14. PERMIT NO. <b>43-037-30265</b>		9. WELL NO. <b>MEX HAT #1</b>
15. ELEVATIONS (Show whether DF, RT, OR, etc.) <b>4203 GR</b>		10. FIELD AND POOL, OR WILDCAT <b>MEX HAT FIELD</b>
16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data		11. SEC., T., R., M., OR BLK. AND SUBVY OR AREA <b>SEC 36 T415 R18 E</b>
NOTICE OF INTENTION TO: TEST WATER SHUT-OFF <input type="checkbox"/> FULL OR ALTER CASING <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> MULTIPLE COMPLETE <input type="checkbox"/> SHOOT OR ACIDIZE <input type="checkbox"/> ABANDON* <input checked="" type="checkbox"/> REPAIR WELL <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> (Other) <input type="checkbox"/>		SUBSEQUENT REPORT OF: WATER SHUT-OFF <input type="checkbox"/> REPAIRING WELL <input type="checkbox"/> FRACTURE TREATMENT <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> SHOOTING OR ACIDIZING <input type="checkbox"/> ABANDONMENT* <input type="checkbox"/> (Other) <input type="checkbox"/>
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

We ARE STILL CARRYING THE WELL AS TEMPORARY ABANDONED. We WILL MOST LIKELY PLUG THE WELL IN JANUARY OF 1979.

18. I hereby certify that the foregoing is true and correct

SIGNED

*Gerald R. Dickinson*

TITLE

*President*

DATE

*9-6-78*

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:



SCOTT M. MATHESON  
Governor

GORDON E. HARMSTON  
Executive Director,  
NATURAL RESOURCES

CLEON B. FEIGHT  
Director

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING  
1588 West North Temple  
Salt Lake City, Utah 84116  
(801) 533-5771

July 2, 1979

OIL, GAS, AND MINING BOARD

CHARLES R. HENDERSON  
Chairman

JOHN L. BELL  
C. RAY JUVELIN  
THADIS W. BOX  
CONSTANCE K. LUNDBERG  
EDWARD T. BECK  
E. STEELE McINTYRE

Gerald R. Dickinson  
909 Livesay Drive  
Cortez, Colorado 81321

Re: Well No. Utah State Mexican Hat #1  
Sec. 36, T. 41S, R. 18E  
San Juan County, Utah

Gentlemen:

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above referred to well is due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

*Kathy Avila*  
KATHY AVILA  
RECORDS CLERK

/attachment



SCOTT M. MATHESON  
Governor

GORDON E. HARMSTON  
Executive Director,  
NATURAL RESOURCES

CLEON B. FEIGHT  
Director

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING  
1588 West North Temple  
Salt Lake City, Utah 84116  
(801) 533-5771

OIL, GAS, AND MINING BOARD

CHARLES R. HENDERSON  
Chairman

JOHN L. BELL  
C. RAY JUVELIN  
THADIS W. BOX  
CONSTANCE K. LUNDBERG  
EDWARD T. BECK  
E. STEELE McINTYRE

December 11, 1979

Gerald R. Dickinson  
909 Livesay Dr.  
Cortez, Colo. 81321

C107 W. CORONADO

RE: Well No. Utah State Mexican Hat #1  
Sec. 36, T. 41S, R. 18E,  
San Juan County, Utah  
SECOND NOTICE

Gentlemen:

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above referred to well is due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

*Debbie Beauregard*  
DEBBIE BEAUREGARD  
CLERK-TYPIST

March 10, 1980

Gerald R. Dickinson  
107 W. Coronado  
Cortez, Colorado

→ 565-3136

Re: Well No. Utah State Mexican Hat #1  
Sec. 36, T. 41S, R. 18E.  
San Juan County, Utah

Gentlemen:

According to a Sundry Notice dated 9-6-78, this well would be plugged in 1-79. This letter is to advise you that the Well Completion or Recompletion Report and Log for the above mentioned well is due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

*Janice Tabish*  
JANICE TABISH  
CLERK TYPIST

*(Talked with Gerald Dickinson  
4-8-80. He said he's still drilling the  
well. will send in a report)*

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SUBMIT DUPLICATE\*  
(Other instructions on reverse side)

### SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. <div style="font-size: 1.5em; font-weight: bold;">323913</div>
2. NAME OF OPERATOR <div style="font-size: 1.2em;">GERALD R DICKINSON</div>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR <div style="font-size: 1.2em;">107 W CONANASO CORTAZ, COLO</div>		7. UNIT AGREEMENT NAME <div style="font-size: 1.2em;">FEL 36+415</div>
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface <div style="font-size: 1.2em;">655' FEL 925.76 FSL OF SEC 36 + 415 R18E SLM</div>		8. FROM OR LEASE NAME <div style="font-size: 1.2em;">UTAH STATE</div>
14. PERMIT NO. <div style="font-size: 1.2em;">43-037-30265</div>		9. WELL NO. <div style="font-size: 1.2em;">MEX HAT CIL #1</div>
15. ELEVATIONS (Show whether DF, RT, GR, etc.) <div style="font-size: 1.2em;">4203 GR</div>		10. FIELD AND POOL, OR WILDCAT <div style="font-size: 1.2em;">MEX HAT FIELD</div>
		11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA <div style="font-size: 1.2em;">36 + 415 R18E</div>
		12. COUNTY OR PARISH <div style="font-size: 1.2em;">SAN JUAN</div>
		13. STATE <div style="font-size: 1.2em;">UTAH</div>

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)		(Other)	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

THIS WELL IS TEMPORARILY ABANDONED  
WE PLAN TO DEEPEN IT IN THE  
FUTURE. WE WILL TRY TO DO  
IT DEEPER NEXT SUMMER.

RECEIVED

NOV 26 1980

DIVISION OF  
OIL, GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

DATE

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH  
DIVISION OIL, GAS AND MINING  
OIL AND GAS INSPECTION RECORD

OPERATOR: DICKINSON, G. R. LEASE: ML-32393  
WELL NAME: MEXICAN HAT #1 API: 43-037-30265  
SEC/TWP/RNG: 36 41.0 S 18.0 E CONTRACTOR:  
COUNTY: SAN JUAN FIELD NAME: MEXICAN HAT

DRILLING/COMPLETION/WORKOVER:

- APD	- WELL SIGN	- HOUSEKEEPING	- BOPE
- SAFETY	- POLLUTION CNTL	- SURFACE USE	- PITS
- OPERATIONS	- OTHER		

SHUT-IN / TA Y:

N WELL SIGN	Y	HOUSEKEEPING	Y	EQUIPMENT *	-	SAFETY
- OTHER						

ABANDONED:

- MARKER	-	HOUSEKEEPING	-	REHAB	-	OTHER
----------	---	--------------	---	-------	---	-------

PRODUCTION:

- WELL SIGN	-	HOUSEKEEPING	-	EQUIPMENT *	-	FACILITIES *
- METERING *	-	POLLUTION CNTL	-	PITS	-	DISPOSAL
- SECURITY	-	SAFETY	-	OTHER		

GAS DISPOSITION:

- VENTED/FLARED	-	SOLD	-	LEASE USE
-----------------	---	------	---	-----------

LEGEND: Y = YES/SATISFACTORY N = NO/UNSATISFACTORY A = NOT APPLICABLE

\*FACILITIES INSPECTED:

LOCATION, WELLHEAD, 150 BBL TANK

REMARKS:

WELL HAS TUBING IN IT, NO VALVES, STANDING OPEN, SEVEN MORE HOLES WERE COUNTED THAT HAD CASING STICKING OUT OF THE GROUND. THIS WELL PUMPED APPROXIMATELY 50 BBLS AND WAS NOT PRODUCED AFTER THAT.

ACTION:

SEE PICTURES FOR MORE DETAIL.

INSPECTOR: GLENN GOODWIN

DATE: 06/10/91

*\* 910621 Entity 11238 added.  
for*



STATE OF UTAH  
DIVISION OF OIL, GAS AND MINING  
OIL AND GAS INSPECTION RECORD

OPERATOR: DICKINSON, G. R. LEASE: ML-32393  
WELL NAME: MEXICAN HAT OIL #1 API: 43-037-30265  
SEC/TWP/RNG: 36 41.0 S 18.0 E CONTRACTOR:  
COUNTY: SAN JUAN FIELD NAME: MEXICAN HAT

DRILLING/COMPLETION/WORKOVER:

<input type="checkbox"/> APD	<input type="checkbox"/> WELL SIGN	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> BOPE
<input type="checkbox"/> SAFETY	<input type="checkbox"/> POLLUTION CNTL	<input type="checkbox"/> SURFACE USE	<input type="checkbox"/> PITS
<input type="checkbox"/> OPERATIONS	<input type="checkbox"/> OTHER		

SHUT-IN ☐ / TA ☐:

<input type="checkbox"/> WELL SIGN	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> EQUIPMENT *	<input type="checkbox"/> SAFETY
<input type="checkbox"/> OTHER			

ABANDONED:

<input type="checkbox"/> N MARKER	<input type="checkbox"/> Y HOUSEKEEPING	<input type="checkbox"/> Y REHAB	<input type="checkbox"/> N OTHER
-----------------------------------	-----------------------------------------	----------------------------------	----------------------------------

PRODUCTION:

<input type="checkbox"/> WELL SIGN	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> EQUIPMENT *	<input type="checkbox"/> FACILITIES *
<input type="checkbox"/> METERING *	<input type="checkbox"/> POLLUTION CNTL	<input type="checkbox"/> PITS	<input type="checkbox"/> DISPOSAL
<input type="checkbox"/> SECURITY	<input type="checkbox"/> SAFETY	<input type="checkbox"/> OTHER	

GAS DISPOSITION:

<input type="checkbox"/> VENTED/FLARED	<input type="checkbox"/> SOLD	<input type="checkbox"/> LEASE USE
----------------------------------------	-------------------------------	------------------------------------

LEGEND: Y = YES/SATISFACTORY N = NO/UNSATISFACTORY A = NOT APPLICABLE

\*FACILITIES INSPECTED:

OPEN CASING,

REMARKS:

THIS WELL WAS LOCATED BY GLENN GOODWIN, AND MIKE HEBERTSON ON THE ABOVE DATE  
THE WELL IS NOT PLUGGED BUT IS 200 FEET DEEP. THE SURFACE CASING IS ABOUT 7" IN  
DIAMETER. WELL SHOULD BE PLUGGED.

ACTION:

INSPECTOR: MICHAEL HEBERTSON

DATE: 09/28/91

September 26, 1991

TO: File

THRU: Don Staley *DS*

FROM: Mike Hebertson

RE: Wells Located in Sec. 36, T. 41S, R. 18E, San Juan County, Utah

A field review of the well locations in Section 36, Township 41 South, Range 18 East, San Juan County, has discovered the following problems that should be noted and addressed in the well records.

*- update cardex*  
*- file*      **API No. 43-037-30265**

Mexican Hat Oil #1 is not located 926 FSL, 656 FEL.  
It is located 1, 148 FSL, 455 FEL. It is 200 feet deep and has a standing fluid level at 170 feet. It was located by compass bearing and measured from the nearest known well site.

*- update cardex*  
*- file*      **API No. 43-037-20535**

Federal #1, has no footage description in the state records. According to aerial photography supplied on the Mexican Hat topographic map, this well is located 1680 FSL, 150 FEL. The well was measured to be 170 feet deep and has no fluid in it.

*- create cardex*  
*- create file*      **API No. None**

*Unknown State 36-1 (43-037-31664) N E S E*  
Unnamed well located 1,580 FSL, 320 FEL. According to our records this well does not exist. It is 11 feet deep and was located by compass bearing and measured from the nearest known well site. *Entity 99999*

*- create cardex*  
*- create file*      **API No. None**

*Unknown State 36-2 (43-037-31665) S E S E*  
Unnamed well located 1,015 FSL, 450 FEL. According to our records this well does not exist. It is plugged back to the surface with dirt. The measurements have been obtained from aerial photography as supplied on the Mexican Hat Topographic map.

It is recommended that the two unnamed wells be given the names State 36-1 & State 36-2, or other appropriate name and an API No. assigned. The current operator should be required to dump one sack of cement in the well bore of the deepest well, and that proper well identification be welded onto the casing of each


Page 2  
Memo to File  
September 26, 1991

well, or a PA marker be set to identify the wells.

It is possible that the State will have to assume responsibility for these wells. Should this be the case, well signs can be made at the state prison and posted for little cost.

Idc  
WIN3

MEXICAN  
HAT HI



37° 07' 30" 109° 52' 30" 601 603 50'

PRODUCED BY THE UNITED STATES GEOLOGICAL SURVEY  
CONTROL BY ..... USGS, NOS/NOAA  
COMPILED FROM AERIAL PHOTOGRAPHS TAKEN ..... 1951 AND 1959  
FIELD CHECKED ..... 1963